



**Catalogue**

**xylon**

Manufacturing with a passion for style

[www.xyloncorp.com](http://www.xyloncorp.com)

# OUR STORY

---

18 years ago, Plena Group broadened its building materials industry segment with the purchase of a sawmill near Sarajevo, Bosnia and Herzegovina. With large investments and continuous development of the facilities the operation was able to expand significantly. Plena rebranded and named the company XYLON, the Greek word for “wood”. Deepening ties with clients, in 2014 Plena Group established Futura Floors GmbH to expand its product range, facilitate communication and logistics.

With a stunning portfolio of Solid Parquet, Engineered flooring, Decking and Designer Vinyl, both Xylon and Futura promote exceptional indoor and outdoor floor coverings specially chosen for our clients. With a capacity of over 500,000 m<sup>2</sup> per year and warehousing of over 20,000 m<sup>2</sup>, the factory has supplied leading clients throughout Europe and Middle East. We believe in long term partnerships and welcome new business.



## INDOOR

- 04-11 **SOLID WOOD**
  - 05 Herringbone
- 06-09 Solid oak planks
  - 10 Other hardwood solid floors
  - 11 Softwood solid planks
- 12-15 **PARQUET**
  - 13 Classical parquet
  - 14-15 Mosaic parquet
- 16-20 **ENGINEERED 3-LAYER OAK**
  - 16-18 Engineered 3-layer oak planks
  - 19 Engineered 3-strip oak planks
  - 20 Engineered 3-layer oak parquet
- 21-22 **SKIRTING SOLID & VENEERED/MDF**
- 23-26 **SURFACE FINISH**
  - 24 Textures, UV lacquered
  - 25 Rubio end-oiled
  - 26 Woca end-oiled
- 27-31 **DESIGN DECORS | VINYL**

## OUTDOOR

- 34 **WPC DECKING**
- 35-36 **ACCESSORIES**
  - 35 WPC underconstruction | WPC end profile | Granulate pads
  - 36 Profi decking bases | Fastening accessories
- 37 **YOUR CONTACT PERSON**

*All offer prices not confirmed prior to validation of new pricelists are no longer valid.*



## Solid wood floor

There is no other flooring that reflects the natural properties of a real wood floor as perfectly as the solid planks and parquet manufactured in our factory. This traditional type of plank has been used for interior floors for centuries because of its timeless beauty. The floor is suitable for use in domestic living spaces as well as for larger areas.

We have a wealth of experience in finishes for almost every type of wood. You can choose between brushing, oiling and lacquering to show off the natural beauty of the wood. Since we have our own factory, we can also create stairs and skirting for you that also match your floor.




Obtained from domestic European forests



Environmentally friendly




To add surface finishes see pages 24-26



## Nature

In principle sapwood-free, knots allowed.


Article no.	Dimensions, mm	Package contents
SX-103723	15 x 120 x 500 / 600 / 700 / 800 / 900 *	4 left & 4 right pieces
SX-103727	20 x 120 x 500 / 600 / 700 / 800 / 900	2 left & 2 right pieces



## Marcant

Possible with larger knots and sapwood content.

Article no.	Dimensions, mm	Package contents
SX-103724	15 x 120 x 500 / 600 / 700 / 800 / 900	4 left & 4 right pieces
SX-103728	22 x 120 x 500 / 600 / 700 / 800 / 900	2 left & 2 right pieces



## Rustic

With knots and approx. 15 - 20% sapwood content.

Article no.	Dimensions, mm	Package contents
SX-103725	15 x 120 x 500 / 600 / 700 / 800 / 900	4 left & 4 right pieces
SX-103729	20 x 120 x 500 / 600 / 700 / 800 / 900	2 left & 2 right pieces


\* On enquiry

Products adhere to the highest standards, produced according to DIN EN 13629, surfaces filled and sanded, tongue and groove, micro bevels, right and left strips mixed in the package.



## Select

In principle, knot-free and free of sapwood with small pin knots allowed.




## Nature

In principle sapwood-free, knots allowed.




## Marcant

Possible with larger knots and up to 5% sapwood content.



## Rustic

With knots and approx. 15-20% sapwood.



## Elegance/Natur

Sapwood-free, small point knots, such as knots approx. 20-30 mm (smallest diameter) permitted.



## Marcant/Rustic

With knots and approx. 10% sapwood



Dimensions, mm	Lengths, mm	Package content, sqm
10x100	400-1200	1,200m <sup>2</sup>
15x130	400-1800	2,288m <sup>2</sup>
15x140	400-1800	2,464m <sup>2</sup>
15x130	1900-2000*	8 pcs
15x140	1900-2000*	8 pcs
20x100	500-2000	5 pcs
20x120	500-2000	5 pcs
20x140	500-2000	1,400m <sup>2</sup>
20x160	500-2000	1,600m <sup>2</sup>
20x180	500-2000	1,800m <sup>2</sup>
20x200	500-2000	2,000m <sup>2</sup>
20x140	2100-2500*	5 pcs
20x160	2100-2500*	5 pcs
20x180	2100-2500*	5 pcs
20x200	2100-2500*	5 pcs



To add **surface** finishes see pages 24-26

\* On enquiry





# Solid oak plank




## BEECH steamed European

Elegance: In principle knot-free and without brown core.

Rustic: With a dark core and knots.

*Elegance*



*Rustic*




Article no.	Grade	Dimensions, mm	Lengths, mm	Package contents, sqm
SX-100132	Elegance	15 x 140	400 - 1800	2,464
SX-100133	Elegance	20 x 140	500 - 2000	1,400
SX-100134	Rustic	15 x 140	400 - 1800	2,464
SX-100135	Rustic	20 x 140	500 - 2000	1,400

## ASH European

Elegance: In principle knot-free and without brown core.

Rustic: With brown core and knots.

*Elegance*



*Rustic*



Article no.	Grade	Dimensions, mm	Lengths, mm	Package contents, sqm
SX-100136	Elegance	15 x 140	400 - 1800	2,464
SX-100137	Elegance	20 x 140	500 - 2000	2,464
SX-100138	Rustic	15 x 140	400 - 1800	1,400
SX-100139	Rustic	20 x 140	500 - 2000	1,400

## Spruce A

Fixed length 2050/2350 mm and long plank 3850/4450/5050 mm.  
With firmly grown knots.



Article no.	Grade	Dimensions, mm	Lengths, mm	Package contents, pieces
SX-105466	A	21 x 133	1950 - 5000*	4
SX-105467	A Long plank	27 x 180	2950 - 5000*	3
SX-105807	A/B	21 x 133	1950 - 5000	4
SX-105718	A/B	27 x 180	2950 - 5000	3

## Pine A

Fixed length 2050/2350 mm and long plank 3850/4450/5050 mm.  
With firmly grown knots.



Article no.	Grade	Dimensions, mm	Lengths, mm	Package contents, pieces
SX-105469	A	21 x 133	1950 - 5050*	4
SX-105470	A Long plank	27 x 180	3850 - 5050*	3
SX-105808	A/B	21 x 133	1950 - 5000	4
SX-105809	A/B	27 x 180	2950 - 5000	3

\* On enquiry



## Parquet

We offer parquet flooring in a variety of assortments, from the Elegance and Nature gradings to the more expressive Rustic grade. Our parquet flooring comes exclusively in oak which is a species renowned for its natural properties, durability and practicality. The parquet comes with tongue and groove all around and is available various dimensions.



Obtained from domestic  
European forests



Environmental  
friendly




To add surface  
finishes see pages  
24-26

## Oak Nature

In principle, sapwood-free, occasional small point knots.


Article no.	Dimensions, mm	Package contents, sqm
SX-103758	16 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40
SX-103754	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



## Oak Object

In principle, sapwood-free with small knots.


Article no.	Dimensions, mm	Package contents, sqm
SO-105962	16 x 68 x 204 / 272 / 340 / 408 mm	0,66 / 0,88 / 1,11 / 1,33



## Oak Rustic

With knots and approx. 20% sapwood.


Article no.	Dimensions, mm	Package contents, sqm
SX-103760	16 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40
SX-103756	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



## Ash Elegance

May have occasional small knots and natural differences in color.


Article no.	Dimensions, mm	Package contents, sqm
SX-105857	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



## Ash Rustic

All natural features are permitted without restriction, as well as natural color differences. Open cracks and knots are filled.




Article no.	Dimensions, mm	Package contents, sqm
SX-105858	22 x 70 x 300 / 400 / 500	0,84 / 1,12 / 1,40



## Oak Nature

Calm sorting with healthy knots  $\leq 2$  mm and black knots  $\leq 1$  mm.


Article no.	Dimensions, mm	Pattern	Package contents, sqm
SO-100928	8 x 23 x 160	Cube Association	4,920
SO-100933	8 x 23 x 160	Parallel Association	4,920
SO-100938	8 x 23 x 160	English Association	4,920



## Oak Object

Healthy knots approx. 7mm, black 4mm. Color difference allowed, subtle structure with low proportion of sapwood.


Article no.	Dimensions, mm	Pattern	Package contents, sqm
SO-105879	8 x 23 x 160	Cube Association	4,920
SO-105880	8 x 23 x 160	Parallel Association	4,920
SO-105881	8 x 23 x 160	English Association	4,920



## Oak Rustic

Expressive sorting with healthy knots  $\leq 10$  mm and black knots  $\leq 8$  mm. Natural color differences are allowed.

Article no.	Dimensions, mm	Pattern	Package contents, sqm
SO-100930	8 x 23 x 160*	Cube Association	4,920
SO-100935	8 x 23 x 160*	Parallel Association	4,920
SO-100940	8 x 23 x 160*	English Association	4,920



## Oak Industry

Healthy knots and black knots allowed.

Article no.	Dimensions, mm	Package contents, sqm
SO-101166	10 x 10 x 160	2,048
SO-100948	15 x 10 x 160	1,025
SO-100942	23 x 8 x 160	1,024



\* On enquiry

Natural color differences are allowed. In principle, the goods are free from sapwood, cracks and ingrown bark. Products adhere to the highest standards, produced according to DIN EN 13488.

# Mosaic oak parquet





## Engineered 3-layer oak 5G-C Clic Drop Down

The Välinge 5G-C Clic Drop Down flooring is manufactured to high-quality standards in accordance with DIN EN 13489. It features a three-layer structure consisting of an approximately 3mm oak top wear layer, a 9mm pine core layer, and a 2mm pine/spruce backing layer. Designed for both durability and aesthetic appeal, all four edges are beveled, creating a refined and seamless look.

**Dimensions** 14x190x1900mm **Package contents** 2,888m<sup>2</sup>

### Characteristic sorting

- Noblesse** Natural texture, small knots possible, slight color differences, with a small amount of sapwood
- Provence** Lively texture and color differences, percentage of sapwood possible, knots. Filled in black.
- Rustical** Lively rustic character with variations in structure and color, featuring a small amount of sapwood, medium-sized natural knots and black-filled knots and splits.
- Country** Knotty, expressive assortment with large sized cracks and branches with sapwood portions. All natural characteristics as well as natural color differences are permitted without restriction. Open cracks and knots are filled.







## Noblesse

Article no.	Sorting	Dimensions, mm	Package contents, m <sup>2</sup>	Surface treatment
EF-105691	Noblesse	14x190x1900	2,888	Unfinished



## Provence

Article no.	Sorting	Dimensions, mm	Package contents, m <sup>2</sup>	Surface treatment
EF-105790/EF-105794	Provence	14x190x1900	2,888	Unfinished



## Rustical

Article no.	Sorting	Dimensions, mm	Package contents, m <sup>2</sup>	Surface treatment
EF-105560/EF-105797	Rustical	14x190x1900	2,888	Unfinished

Any combination of oil and varnish from page 24-26





## Country

Article no.	Sorting	Dimensions, mm	Package contents, m <sup>2</sup>	Surface treatment
EF-105963	Country	14x190x1900	2,888	Unfinished



## Provence

Article no.	Sorting	Dimensions, mm	Package contents, m <sup>2</sup>	Surface treatment
EF-105964	Provence	14x150x1900	2,280	Light brushed & oiled



## Rustical

Article no.	Sorting	Dimensions, mm	Package contents, m <sup>2</sup>	Surface treatment
EF-105965	Rustical	14x150x1900	2,280	Light brushed & oiled




# 3- strip engineered oak Clic-Drop Down



## Engineered 3-strip oak floor

Quality according to factory standard, analogue production according to DIN EN 13489, bevelled edges on four sides. Structure: Top layer / wear layer: approx. 3 mm oak / centre layer approx. 8 mm spruce / backing



## Classic

Natural texture and colour differences, small knots with low sapwood content

Article no.	Dimensions, mm	Package contents, m <sup>2</sup>	Surface treatment
EF-105862	13x190x2250	2,565	UV lacquered



## Elegance/Nature herringbone

Harmonious sorting with small knots. Sapwood-free.


Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105217	14x140x740 Herringbone*	0.829	Unfinished



## Marcant/Rustic herringbone

Characteristic grading with knots. Sapwood-free.


Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105218	14x140x740 Herringbone*	0.829	Unfinished



## Elegance/Nature Chevron

Harmonious sorting with small knots. Sapwood-free.


Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105219	14x120x880 Chevron 45**	0.845	Unfinished



## Marcant/Rustic Chevron

Characteristic sorting with knots. Sapwood-free.





Article no.	Dimensions, mm	Package contents, sqm	Surface
EF-105220	14x120x880 Chevron 45**	0.845	Unfinished







\* On enquiry



## Solid skirting OAK knots-free (select / nature)





Article no.	Dimensions, mm	Lengths, mm	Profile	Surface	
X-AC100445	15x40	1500-2400	beveled	Unfinished	
X-AC100451 / X-AC101520	15x60	1500-2400	beveled / rounded	Unfinished	
X-AC100448 / X-AC101608	20x40	1500-2400	beveled / rounded	Unfinished	
X-AC100221 / X-AC100218	20x60	1500-2400	beveled / rounded	Unfinished	

## Solid skirting OAK with knots (marcant/ rustic)

Article no.	Dimensions, mm	Lengths, mm	Profile	Surface	
X-AC101607	15x40	1500-2400	beveled	Unfinished	
X-AC100466 / X-AC101519	15x60	1500-2400	beveled / rounded	Unfinished	
X-AC101505 / X-AC101913	20x40	1500-2400	beveled / rounded	Unfinished	
X-AC100469 / X-AC100882	20x60	1500-2400	beveled / rounded	Unfinished	

Skirting surfaces available! <sup>1</sup> To add surface finishes see pages 24-26

## Skirting veneered / MDF

Article no.	Dimensions, mm	Lengths, mm	Profile	Surface	
AC-105853	16x60	2500	Oak veneered knotless, straight rounded	white lacquered	
AC-105854	16x60	2500	Oak veneered knotless, straight rounded	natural lacquered	
AC-105766	18x78	2500	Oak veneered knotless, straight bevelled	white foiled	
AC-105852	15x60	2500	Oak veneered knotless, straight bevelled	white foiled	





## Design your own dream floor


Xylon has chosen the most beautiful flooring collections, but we know what it's like to be picky in style. That is why we offer you the opportunity to create your own appearance.

At Xylon you have the option of having all “natural” or “brushed” products with chamfered edges manufactured with the following surface finishes:


- *Sharp-edged classical parquet*
- *Solid plank*
- *Solid 2-layer plank, sharp-edged*
- *Plank multi-layer, bevel*
- *Plank 3-layer, bevel*
- *Castle planks 3-layer, sharp-edged*




## Structure



Article no. R0020




Article no. R0029




Article no. R0385\*

## UV-lacquered



Article no. R0012



Article no. R0131

\* On enquiry

Deep smoked <sup>1</sup>

Only available for solid oak flooring - dimensions 15x130mm and 20x140/160mm and only in the Nature and Marcant grades without sapwood.






Pure #R101

Article no. R0137



White #R331

Article no. R0139




White 5% #R331A

Article no. R0138




Crudo<sup>2</sup> #P920+R920

Article no. R0148




Smoke 5% #R326A

Article no. R0163



Gris Belge #R310


Article no. R0146



Champagne #R331A+R333

Article no. R0141

*Rubio*®



Natural

Article no. R0416




White 5%

Article no. R0412




White 22%

Article no. R0413




Vanilla

Article no. R0414




Champagne

Article no. R0417



Smoked Oak

Article no. R0415



Grey Brown

Article no. R0418





## Vinyl

Our design floor (vinyl) is extremely durable and easy to care for. Vinyl is characterized by an authentic natural look and is personalized by a variety of surfaces for a perfect fit.

Our integrated impact sound insulation, SPC stone dust is ideally suited for underfloor heating as well as for kitchens and bathrooms, matt finish embossed, phthalate-free, suitable for high loads.

Due to its unique composition, the design floor (vinyl) is resistant to physical damage, the presence of water and open flames.

All products are made with an original Unilin click system for easy installation or as boards for glued use.



## European Premium XL vinyl

Dimension: 5,0x228x1219mm wood decor | 5,0x305x915mm stone decor  
Wear layer: 0,55mm  
Exposure class: 33/34  
Incl. 1,0mm IXPE high density integrated impact sound insulation

*Package contents:* 2,233m<sup>2</sup>      8 pieces  
*Pallet:* 107,18m<sup>2</sup>      48 cartons

### Article no.


VI-105932  
VI-105933  
VI-105934  
VI-105935  
VI-105936  
VI-105937  
VI-105938  
VI-105939  
VI-105940

### Decor

Valencia  
Venice  
Chamonix  
Heidelberg  
Bergen  
Bled  
Tallinn  
Kotor  
Santorini



## Wood decors



## Stone decors





**Carrier material SPC (stone powder), suitable for underfloor heating.**

Dimensions: 5,0 x 175 x 1210mm | 6,5x175x1210mm York

Wear layer: 0,5 mm

Exposure class: 33/42

Incl. 1.0 mm integrated impact sound insulation

<i>Package contents:</i>	2,117m <sup>2</sup>	10 pieces
<i>Pallet:</i>	127,05m <sup>2</sup>	60 cartons

**Article no.**

VI-105695

VI-105699

VI-105696

VI-105694

VI-105646

**Decor**

Natural

Light Smoked

Castle Gray\*

Sand\*

York\*

\* On enquiry



**Our browns**

---




**Our greys**

---



**Our greige**

---









## WPC solid, PRIME


Durability class according to DIN EN 350-2: II (durable)



Article no.	Dimensions, mm	Lengths, mm	Profile	Color	Package contents
DE-105497	20 x 140	3600/4800	small rilled/structure	light brown	2/3 pieces
DE-105499	20 x 140	3600/4800	small rilled/structure	light grey	2/3 pieces
DE-105500	20 x 140	3600/4800	small rilled/structure	dark grey	2/3 pieces

## WPC hollow


Durability class according to DIN EN 350-2: II (durable)



Article no.	Dimensions, mm	Lengths, mm	Profile	Color	Package contents
DE-105501	24 x 140	4000	small rilled/structure	dark grey	2/3 pieces
DE-105502	24 x 140	4000	small rilled/structure	light greysvijetlo	2/3 pieces
DE-105503	24 x 140	4000	small rilled/structure	light brown	2/3 pieces

## WPC hollow, encased

Durability class according to DIN EN 350-2: II (durable)



Article no.	Dimensions, mm	Lengths, mm	Profile	Color	Package contents
DE-105728	22 x 140	4000	rilled/structure	Mocha brown	2/3 pieces
DE-105729	22 x 140	4000	rilled/structure	Latte brown	2/3 pieces
DE-105730	22 x 140	4000	rilled/structure	Ash grey	2/3 pieces
DE-105731	22 x 140	4000	rilled/structure	Carbon grey	3/2 pieces

Please always specify the desired visible side when ordering combination profiles!



## WPC standard underconstruction

Durability class according to DIN EN 350-2: II (durable)

Article no.	Dimensions, mm	Lengths, mm	Profile
DE-105824	30 x 50	4000	smooth on all sides
DE-105549	40 x 60	4000	smooth on all sides



## WPC end profile

With our WPC end profile, you can beautifully design the end and cut edges of your WPC decking.

Article no.	Dimensions, mm	Lengths, mm	Profile	Color
AC-105831	40 x 60	3000	smooth	dark grey
AC-105832	40 x 60	3000	smooth	light grey
AC-105833	40 x 60	3000	smooth	light brown



## Professional rubber granulate pad

Underlay for bridging minor unevenness, as well as for protecting and insulating underconstruction. (Requirement: 2 pads per linear meter of underconstruction)

Article no.	Article	Content/package
AC-102764	Rubber granulate pad (3 x 40 x 80 mm)	1 piece loose
AC-102765	Rubber granulate pad (8 x 40 x 80 mm)	1 piece loose



## Professional decking bases

Underlay for bridging minor unevenness, as well as for protecting and insulating underconstruction.  
(Requirement: 2 pads per linear meter of underconstruction)

Article no.	Article	Content/package	
AC-101407	Decking bases adjustment range (35-55mm)	1 piece loose	
AC-105550	Decking bases adjustment range (35-70mm)	1 piece loose	
AC-105551	Decking bases adjustment range (66-145mm)	1 piece loose	
AC-102927	Decking bases adjustment range (140-220mm)	1 piece loose	

## WPC professional decking clip

Professional fastening clip made of rust-free stainless steel for the invisible fastening of WPC decking on WPC or aluminum underconstruction. The clip automatically creates the ideal gap for WPC of approx. 4 mm.

Article no.	Article	Content/package	
AC-104116	WPC professional decking clip	100 clips including screws are sufficient for approx. 5 sqm	
AC-104117	WPC professional start and end clip	50 clips including screws are sufficient for approx. 25 sqm	
AC-105762	WPC professional clips for encased WPC	90 clips including screws are sufficient for approx. 5sqm	

## Sales

---

Dino Mlivić

Sales Representative

Phone: +387 61 638 700

Email: [dinom@xyloncorp.com](mailto:dinom@xyloncorp.com)

## Sales department

---

Xylon Corporation d.o.o.

Line 1: +387 33 401 001

Line 2: +387 33 400 001

Fax: +387 33 401 002

Email: [sales@xyloncorp.com](mailto:sales@xyloncorp.com)

## Warehouse office

---

Xylon Corporation d.o.o.

Phone: +387 33 431 324

Fax: +387 33 401 002

Email: [info@xyloncorp.com](mailto:info@xyloncorp.com)

## Our headquarters

---

Xylon Corporation d.o.o.

Phone: +387 33 401 001

Fax: +387 33 401 002

Email: [info@xyloncorp.com](mailto:info@xyloncorp.com)

## Finance

---

Our accounting

Phone: +387 33 402 001

Fax: +387 33 401 002

Email: [info@xyloncorp.com](mailto:info@xyloncorp.com)

Follow  
us on:



[www.xyloncorp.com](http://www.xyloncorp.com)



XylonCorporation



xylonfloors



## Our story.

We offer finest flooring, selected with care for those who anticipate world trends and respect the planet. so that together we may build a world that inspires wellbeing, for where there is wellbeing, there is happiness. Xylon.



[www.xyloncorp.com](http://www.xyloncorp.com)





# xylon

Floors that inspire well being

in partnership with Futura Floors GmbH



[www.xyloncorp.com](http://www.xyloncorp.com)

---